Cincinnati, Ohio, Code of Ordinances >> - TITLE XIV ZONING CODE OF THE CITY OF CINCINNATI >> Chapter 1409 - COMMERCIAL DISTRICTS >>

Chapter 1409 - COMMERCIAL DISTRICTS

<u>§ 1409-01. - Purposes.</u> <u>§ 1409-03. - Specific Purposes of the Commercial Subdistricts.</u>

- § 1409-05. Community Character.
- § 1409-07. Land Use Regulations.
- § 1409-09. Development Regulations.
- § 1409-11. Driveway Restrictions.
- § 1409-13. Drive-Through Components.
- § 1409-15. Truck Docks; Loading and Service Areas.
- § 1409-17. Building Placement Requirements, CN-P and CC-P Districts.
- § 1409-19. Exceptions to Building Placement Requirements, CN-P and CC-P Districts.
- § 1409-21. Building Placement Requirements, CN-M and CC-M Districts.
- § 1409-23. Ground Floor Transparency.
- § 1409-25. Location of Parking.
- § 1409-27. Outdoor Storage.
- § 1409-29. Outdoor Retail Sales.

§ 1409-01. - Purposes.

The general purposes of commercial districts are to:

- (a) Encourage the creation of new and the enhancement of existing commercial districts serving adjacent residential neighborhood areas.
- (b) Encourage the creation of neighborhood activity centers as focal points along transportation corridors.
- (c) Encourage quality and variety in building and <u>landscape design</u> as well as compatibility in use and form, where appropriate.
- (d) Establish appropriate standards for reviewing proposals for new development and redevelopment, where appropriate, in commercial areas.
- (e) Allow certain limited mixed commercial/residential uses, where appropriate.
- (f) Maintain and enhance existing commercial districts, giving special consideration to type, scale, intensity and access.

(Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004)

§ 1409-03. - Specific Purposes of the Commercial Subdistricts.

The specific purposes of the commercial subdistricts are:

(a) *CN Commercial Neighborhood.* To identify, create, maintain and enhance mixed-use neighborhood commercial centers that reflect smaller-scale, pedestrian-oriented development with continuous street frontage and a mix of commercial and residential uses. Typical uses include retail, services, housing, office, open space, eating and drinking establishments and smaller-scale public and recreation and entertainment

uses. Future development must be of a pedestrian-oriented commercial or mixed-use nature, serving the immediate neighborhood.

- (b) CC Commercial Community. To identify, create, maintain and enhance areas suitable for a wide variety of commercial and institutional uses along major transportation corridors and in shopping districts or centers. Although these centers may reflect elements of both pedestrian- and auto-oriented development, they typically accommodate larger-scale retail and commercial service uses, such as auto-related businesses and recreation and entertainment, as well as a variety of public and semipublic uses. Future development must reflect a complementary and compatible mix of uses, and may include residential uses.
- (c) *CG Commercial General.* To maintain, support and create areas of the City that serve as region-drawing centers of activity. These areas should reflect a mix of commercial, office, recreation and entertainment and arts uses that reflect the regional importance of the area.











<u>Figures 1409-03-C, D</u>

(Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004)

§ 1409-05. - Community Character.

Three community character designations are established to enhance each type of commercial district:

(a) Pedestrian. This district designation is intended for areas with a traditional urban character, where buildings are required to be built to the street or sidewalk line, to provide a close relationship between pedestrians and shops. Design standards will reinforce this character and require treatments that provide an interesting pedestrian environment. This designation may <u>apply</u> to some areas where a few auto-oriented uses exist, but where restoring the pedestrian character is specified in a community plan or other documentation approved by the Planning Commission.

- (b) Mixed. This district designation is intended to provide for a mix of the pedestrian and auto-oriented development. Older, pedestrian-oriented buildings may be intermixed with newer, auto-oriented uses.
- (c) Auto-oriented. This district designation is intended for areas that provide for easy automobile access. Large buildings are located on the site with parking in front. Out lots associated with shopping centers often contain auto-oriented businesses. Performance standards are intended to mitigate the impact of the parking lots and buffer adjacent residential areas.

(Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004)

§ 1409-07. - Land Use Regulations.

Schedule<u>1409-07</u> below prescribes the land use regulations for C Districts. The regulations for each subdistrict are established by letter designations as follows:

- (a) "P" designates permitted uses. These uses may be subject to additional regulations as indicated.
- (b) "L" designates uses that are permitted, subject to certain limitations. Numeric suffixes refer to limitations listed at the bottom of Schedule<u>1407-05</u>. Except as otherwise indicated, modifications of a numerical, locational or dimensional limitation requires a variance under<u>Chapter 1445</u> - Variances, Special Exceptions and Conditional Uses.
- (c) "C" designates uses permitted only after review and approval of the conditional use by the Zoning Hearing Examiner. These uses may be subject to additional regulations as indicated.

Use classifications are defined in <u>Chapter 1401</u>, Definitions. Use classifications not listed in Schedule <u>1409-07</u> below are prohibited.

Schedule <u>1409-07</u>: Use Regulations - Commercial Subdistricts

Use	CN-P	CN-M	CC-P	CC-M	CC-A	CG-A	Additional
Classifications							Regulations
Residential Use	S		•		•		
Bed and breakfast home	Ρ	Ρ	Ρ	Ρ	_	_	See <u>§1419-</u> 09
Day care home - Adult	Ρ	Ρ	Ρ	Ρ	Ρ	_	
Day care home - Type A	L3	L3	L3	L3	L3	_	
Day care home - Type B	L3	L3	L3	L3	_	_	
Group residential							
Congregate housing	Ρ	Ρ	Р	Ρ	Ρ	Ρ	
Convents & monasteries	Ρ	Ρ	Ρ	Ρ	_	_	
Dormitories	Р	Р	Р	Ρ	Р	_	
Fraternities & sororities	Ρ	Ρ	Р	Ρ	_	_	
Patient family	Р	Р	Р	Р	_	_	

/11/13			Mu	unicode			
homes		1	1				
	L1	L1	L1	L1	_	_	
houses							
Shared housing	Р	Р	Р	Р	_	_	
for elderly							
Permanent							
residential							
Single-family	Р	Р	Р	L2	L2	_	
dwelling							
Attached	Р	Ρ	Р	_	—	-	
single-family							
dwelling							
Two-family	Р	Р	Ρ	L2	L2	-	
dwelling							
Multi-family	Р	Р	Р	L2	L2		
dwelling							
Residential care							
facilities							
Assisted living	Р	Р	Ρ	Ρ	Р	_	
Developmental	Р	Ρ	Р	L2	L2	-	
disability							
dwelling							
Nursing home	Р	Р	Р	Р	Р	-	
Special	С	с	С	С	с	c	
assistance							
shelter							
Transitional							
housing							
Programs 1-4	Р	Р	Р	L2	L2	-	
Program 5	_	—	_	Ρ	Р	Р	
Program 6	_	—	_	С	Ρ	Р	
Public and Sem	ipublic Uses	-			-		
Clubs and lodges	Р	Р	Р	Ρ	Р	Р	
Colleges, public	_	_	_	С	Р	P	
or private							
Community	Р	Р	P	Р	Р	P	
service facilities							
Cultural	Р	Ρ	Р	Р	Ρ	Р	
institutions							
Day care center	P	Р	Ρ	Ρ	Р	Р	
Government							
facilities and							
offices							
Offices	L13	L13	Ρ	Ρ	Ρ	Р	
Hospitals		—				Р	
Park and	Р	P	P	P	Ρ	P	
recreation							
facilities							

2/11/13				Municode			
maintenance facilities							
Public safety facilities	Р	Р	Ρ	Р	Ρ	Р	
Religious assembly	Р	Р	P	Р	Р	Р	
Schools, public	P	Р	P	P	P	P	
or private							
Commercial Use	es						
Ambulance	_	—	—	_	Р	Р	
services Animal services	1.4	L4	L4	L4	L9	L9	
Banks and	L4 L13	L13	D L4	L4 D	L9 D	L9 D	
financial institutions		LIJ	F	F	F	F	
Bed and	D	P	D	D	D	D	
breakfast inns	r	F	F	F	F	F	
Building maintenance	_	_	_	_	Р	Р	
services							
Building materials sales	_	_	—	L5	L5	Р	
and services							
Business services	L13	L13	Ρ	Р	Ρ	Ρ	
Commercial meeting facility	_	_	_	Р	Ρ	Р	
Eating and drinking establishments							
Drinking	L13	L13	L13	Р	Р	Р	
establishments		14.142		Þ		P	C 5 4 440
Restaurants, ful service	L6, L13	L6, L13	L6	Р	Ρ	Ρ	See <u>§1419</u> -
	L6, L13	L6, L13	L6	P	D	P	<u>21</u> See <u>§1419</u> -
limited	LO, LIS	LO, LIS	LO	P	P	P	21
Food markets	L13	L13	P	P	P	P	
Food	L13	L13	P	P	P	P	
preparation							
Funeral and interment	Р	Р	Ρ	Р	Ρ	Ρ	
services							
Garden supply stores and	-	-	-	L5	L5	Ρ	
nurseries						D	
Hotels and commercial lodging	_	_	-	Р	Ρ	Ч	
Laboratories,	L13	L13	P	P	P	P	
		ntID=19996&HTMR	I		I	I)%3d19996&iobl 5/1

commercial							
	Ρ	Р	Ρ	Ρ	Ρ	Ρ	See <u>§1419</u> 23
Maintenance	L13	L13	P	P	P	P	
and repair							
services							
Medical services	L13	L13	Р	P	Р	Р	
and clinics							
Offices	L13	L13	Р	Р	Р	Р	
Parking	с	Р	С	Р	Р	Р	See
facilities							<u>Chapter</u> 1425
Personal	L13	L13	Р	Р	Р	Р	
instructional							
services							
Personal	L13	L13	Р	Р	Р	Р	
services							
Private	_	_	_	_	Р	Р	
vehicular							
storage Lot							
Recreation and							
entertainment							
Indoor or	L13	L13	Р	Р	Р	Р	
small-scale							
Outdoor or	_	_	_	_	с	Р	
large-scale							
	L13	L13	Р	Р	Р	Р	
Vehicle and							
equipment							
services							
Vehicle and	_	_	_	с	L8	Р	
equipment sales							
and rental							
Car wash	_	_	_	Ρ	Ρ	Ρ	See <u>§1419</u> 11
Fuel sales	_	Ρ	_	Р	Р	Ρ	See <u>§1419</u> 15
Vehicle repair	_	_	_	С	Р	Ρ	See <u>§1419</u> 27
Industrial Uses							
Production							
industry							
Artisan	С	С	С	c	Р	Р	
Limited	_	_	-	_	Р	Р	
Warehousing		Ī	1			1	
and storage							
Contractor	_	<u> </u>	_	_	L5	L5	
storage							
Indoor storage		1	ł	1	P	P	1

(11/13				Municode			
Wholesaling and	1 –	<u> </u>	_	<u> </u>	Р	Р	
distribution							
Transportation	, Commun	ication and U	tilities Uses		•	•	
Communication	7	Р	Р	Р	Р	Р	
facilities							
Public utility	Р	P	Р	Р	Р	Р	
distribution							
system							
Radio and	<u> </u>		—	_	С	С	
television							
broadcast							
antenna							
Transportation							
facilities							
Heliports	_	_	_	_	С	С	
Railroad right-	Р	Р	Р	Р	Р	Р	
of-way							
Transportation	<u> </u>	<u> </u>		<u> </u>	Р	Р	
passenger							
terminals							
Wireless	L7	L7	L7	L7	L7	L7	See <u>§141</u>
communication							33
antenna							
Wireless	С	с	С	С	С	С	See <u>§141</u>
communication							33
tower							
Agriculture and	d Extractiv	ve Uses			•	•	
Community	Р	Р	Р	Р	Р	Р	See <u>§141</u>
gardens							<u>41</u>
Accessory Uses							See
							JCC
							<u>Chapter</u>
		<u> </u>	I 10	10	I 10	I 10	
Any accessory	L10	L10	L10	L10	L10	L10	<u>Chapter</u>
use not listed		L10	L10	L10	L10	L10	<u>Chapter</u>
use not listed below	L10	L10 P	L10 P		L10		<u>Chapter</u> <u>1421</u>
use not listed below Refuse storage	L10			L10 P		L10 P	<u>Chapter</u> <u>1421</u> See <u>§142</u>
use not listed below Refuse storage areas	L10 P	P	P	P	P	P	<u>Chapter</u> <u>1421</u>
use not listed below Refuse storage areas Drive box	L10						<u>Chapter</u> <u>1421</u> See <u>§142</u>
use not listed below Refuse storage areas Drive box Commercial	L10 P L11 P	P L11	P L11	P L11	P L11	P L11	<u>Chapter</u> <u>1421</u> See <u>§142</u>
use not listed below Refuse storage areas Drive box Commercial vehicle parking	L10 P L11 P	P L11	P L11	P L11	P L11	P L11	<u>Chapter</u> 1421 See <u>§142</u> 35
use not listed below Refuse storage areas Drive box Commercial	L10 P L11 P	P L11 P	P L11 P	P L11 P	P L11 P	P L11 P	<u>Chapter</u> <u>1421</u> See <u>§142</u> :
use not listed below Refuse storage areas Drive box Commercial vehicle parking	L10 P L11 P	P L11 P	P L11 P	P L11 P	P L11 P	P L11 P	<u>Chapter</u> 1421 See <u>§142</u> 35 See <u>§142</u>
use not listed below Refuse storage areas Drive box Commercial vehicle parking Exterior lighting	L10 P L11 P	P L11 P P	P L11 P P	P L11 P P	P L11 P P	P L11 P P	<u>Chapter</u> 1421 See <u>§142</u> 35 See <u>§142</u>
use not listed below Refuse storage areas Drive box Commercial vehicle parking Exterior lighting Small-scale	L10 P L11 P	P L11 P P	P L11 P P	P L11 P P	P L11 P P	P L11 P P	<u>Chapter</u> 1421 See <u>§142</u> 35 See <u>§142</u>
use not listed below Refuse storage areas Drive box Commercial vehicle parking Exterior lighting Small-scale specialized incinerator	L10 P L11 P g P L12	P L11 P P	P L11 P P	P L11 P P	P L11 P P	P L11 P P	<u>Chapter</u> 1421 See <u>§142</u> 35 See <u>§142</u> 39
use not listed below Refuse storage areas Drive box Commercial vehicle parking Exterior lighting Small-scale specialized incinerator Portable storage	L10 P L11 P g P L12	P L11 P P L12	P L11 P P L12	P L11 P P L12	P L11 P P L12	P L11 P P L12	<u>Chapter</u> 1421 See <u>§142</u> 35 See <u>§142</u> 39
use not listed below Refuse storage areas Drive box Commercial vehicle parking Exterior lighting Small-scale specialized	L10 P L11 P g P L12 e P	P L11 P P L12	P L11 P P L12	P L11 P P L12	P L11 P P L12	P L11 P P L12	<u>Chapter</u> 1421 See <u>\$142</u> 35 See <u>\$142</u> 39 See <u>\$141</u>

1447

Specific Limitations	
L1 Only rooming houses licensed pursuant to <u>Chapter 855</u> .	L2 Permitted only above the ground floor in a mixed use
Rooming Houses of the Municipal Code; the maximum	building. Modification requires conditional use approval
number of rooming units is five, and a separate entrance	pursuant to the procedures and criteria of <u>Chapter 1445</u> ,
for access to rooming units must be provided. The	Variance, Special Exceptions, and Conditional Uses.
minimum rental is seven days. See <u>§1421-43</u> .	
L3 Fencing, a minimum of four feet in height must be	L4 Permitted, provided that there are no outdoor exercise
provided for purposes of securing outdoor play areas	areas, yards or pens and mechanical ventilation and air
which must be located in the rear yard only.	filter devices must be provided.
L5 Permitted provided that outside storage is screened	L6 Presentation of entertainment is not permitted in
with an 8 ft. privacy fence.	outdoor areas.
L7 Antenna height may not exceed 20 feet; greater height	L8 Permitted on arterial streets with a maximum site size
required a conditional use approval. The antenna may be	of two acres. Vehicle loading and unloading must occur on-
attached to a multi-family, public and semi-public,	site.
commercial or public utility building or structure.	
L9 Outdoor exercise areas, yards or pens must be 100 fee	L10 Accessory uses determined by the Director of
from any residential district.	Buildings and Inspections to be customarily incidental to a
	use of the district are permitted except where expressly
	prohibited. All others require conditional use approval.
L11 The storage space is less than 30 cubic yards;	L12 The material incinerated is generated on-site and is
enclosed by a screen fence or within a structure; and at	located on a roof or at least 100 feet from any property
least 100 feet from any property used for residential	used for residential purposes.
purposes.	
L13 Use is limited to 15,000 square feet; more space	
requires conditional use approval	

(Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004; a. Ord. No. 236-2005, eff. July 21, 2005; a. Ord. No. 98-2006, § 1, eff. May 18, 2006; a. Ord. No. 0027-2007, §§ 1, 2, eff. Feb. 18, 2007; a. Ord. No. 150-2008, § 1, eff. June 7, 2008; a. Ord. No. 160-2008, § 1, eff. June 7, 2008; a. Ord. No. 414-2008, § 10, eff. Jan. 4, 2009; a. Ord. No. 304-2009, § 1, eff. Dec. 12, 2009; a. Ord. No. 038-2010, § 1, eff. March 18, 2010; a. Ord. No. 457-2010, § 1, eff. Jan. 23, 2011)

§ 1409-09. - Development Regulations.

Schedule <u>1409-09</u> prescribes the development regulations for Commercial Districts, maximum building height, minimum setbacks, driveways and parking and other standards that apply. Yes means regulations apply.

Schedule <u>1409-09</u>: Development Regulations - Commercial Districts

Regulations	CN-P	CN-M	CC-P	СС-М	CC-A		Additional Regulations
Building Scale-Intensity	of Use						
Minimum Lot Area	0	0	0	0	0	0	

library.municode.com/print.aspx?h=&clientID=19996&HTMRequest=http%3a%2f%2flibrary.municode.com%2fshowDocument.aspx%3fclientID%3d19996&jobl... 8/17

Building Form and Locati	ion						
Maximum building height	50	50	85	85	85	85	
(ft.)							
Minimum building height	15	15	15	15	15	15	
(ft.)							
Minimum front yard	0	0	0	0	0	0	
setbacks (ft.)							
Maximum front yard	0	12	0	12	_	_	See <u>§1409</u>
setbacks (ft.)							19
Building placement	Yes	Yes	Yes	Yes	No	No	See <u>§1409</u>
requirements							17 and §
-							1409-21
Ground floor transparency	Yes	Yes	Yes	Yes	No	No	See <u>§1409</u>
standards							23
Vehicle Accommodation -	- Driveways	and Parking	!			•	
Driveway restrictions	Yes	Yes	Yes	Yes	Yes	Yes	See <u>§1409</u>
							11
Drive-through facilities	Yes	Yes	Yes	Yes	Yes	Yes	See <u>§ 1409</u>
C C							<u>13</u> and
							1419-13
Location of parking	Yes	Yes	Yes	Yes	No	No	See <u>§1409</u>
							<u>25</u>
Parking lot landscaping	Yes	Yes	Yes	Yes	Yes	Yes	See <u>§1425</u>
							29
Truck docks; loading and	Yes	Yes	Yes	Yes	Yes	Yes	See <u>§1409</u>
service areas							<u>15</u>
Other Regulations		•	•			•	
Buffering along district	Yes	Yes	Yes	Yes	Yes	Yes	See <u>§1423</u>
boundaries							13
Accessory structures	See <u>Chapter</u>	1421			•	-	
General site standards	See <u>Chapter</u>	1421					
Landscaping and buffer	See <u>Chapter</u>	1423					
yards							
Nonconforming structures	See <u>Chapter</u>	1447					
	See Chapter						
	See <u>Chapter</u>	1427					
	See Chapter						
regulations							
Residential Regulations							
New residential only							
	700	700	700	700	700	700	1
(sq. ft.)							
Front yard setback	0	0	0	0	0	0	1
Interior side yard	0	0	0	0	0	0	1
	-	Ţ	-	Ī	Ī	-	
•					1		1
•	0	0	0	0	0	0	
setback Corner side yard setback	0 25	0	0	0 25	0 25	0	

2	2/11/13			Municode	9			
	Lot area/unit (sq./ft.)	500	500	500	500	500	500	

(Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004; a. Ord. No. 99-2006, § 1, eff. May 18, 2006; a. Ord. No. 150-2007, § 1, eff. June 7, 2008)

§ 1409-11. - Driveway Restrictions.

In pedestrian and mixed commercial districts, vehicular access must be from a side street or alley wherever practical. In all other commercial districts the location, number of and distances between driveways must be approved by the Department of Transportation and Engineering.

(Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004)

§ 1409-13. - Drive-Through Components.

In CN-P and CC-P - No drive-through components allowed.

In CN-M and CC-M - Drive-through components must be located in the rear yard or on the building elevation facing the rear yard. Drive-through components on a corner lot require conditional use approval pursuant to <u>Chapter 1445</u> Variance. Special Exception and Conditional Uses.

In CC-A and CG-A - No restriction on location.

(Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004; a. Ord. No. 0053-2008, § 1, eff. March 13, 2008)

§ 1409-15. - Truck Docks; Loading and Service Areas.

Truck docks, loading and service areas are not permitted within 100 feet of residential district boundaries and are not permitted to be used between 10:00 p.m. and 7:00 a.m. on weekdays and between 11:00 p.m. and 7:00 a.m. on weekends. These facilities must be located at the side of buildings or in the rear of the site and screened so as not to be visible from residential districts. Where a building abuts a residential district, the preferred location of these facilities is the side away from the district boundary, unless conditional use approval is obtained pursuant to the procedures and criteria of <u>Chapter 1445</u>, Variances, Special Exceptions and Conditional Uses.

(Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004; a. Ord. No. 0345-2007, § 1, eff. Oct. 13, 2007)

§ 1409-17. - Building Placement Requirements, CN-P and CC-P Districts.

In the CN-P and CC-P Districts, buildings must be built to street setback lines as illustrated in Figure 1409-17, except as indicated in <u>§ 1409-19</u>.

The following rules apply for determining the primary street frontage for building placement. Primary streets are defined as arterials and collectors, and secondary streets are defined as local streets, as defined by the city's functional road classification. Figure 1409-17 illustrates the required placement and enhancement for street frontages.

- (a) *Frontage on One Street.* On a site with frontage only on one street, the building must be located on the front lot line of the street frontage.
- (b) Frontage on Arterial or Collector and Local Streets. On a site with frontage on either an arterial or collector street and a local street, the building must be built to the corner of the two streets and provide the majority of transparency on the facade fronting on the arterial street. See § 1409-23

- (c) *Frontage on Two Arterial or Two Collector Streets.* Sites with frontage on two collector streets must build to the corner of the two streets. The developer may choose on which collector street frontage to provide facade transparency.
- (d) Frontage on Three Streets. Sites with frontage on three or more streets must build to the corner of at least one collector street, or two collector streets if they intersect at the property. The developer may choose on which collector street to provide facade transparency.



Figure 1409-17 Building Placement in CN-P and CC-P Districts

(Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004)

§ 1409-19. - Exceptions to Building Placement Requirements, CN-P and CC-P Districts.

The following exceptions to the build-to requirement set forth in <u>§ 1409-19</u> are permitted:

(a) Articulated Building Street Face. Where a portion of the building is set back from the build-to line, the total area of the space created by the setback may not exceed one square foot for every linear foot of building frontage. Refer to Figure 1409-19-A and Figure 1409-19-B.



Figure 1409-19-A Articulated Building Facade



Figure 1409-19-B Example of Articulated Building Facade

[b] Outdoor Eating Areas. Where there is an outdoor eating area installed on the street

frontage, the build-to line may be altered, provided the building is setback not more than 12 feet from the street lot line or at least 40 percent of the building facade meets the build-to line and an outdoor eating area is limited to a maximum area of 12 times the building street frontage in linear feet. See Figure 1409-19-C and Figure 1409-19-D.





Figure 1409-19-C Outdoor Eating Areas

Figure 1409-19-D Example of Outdoor Eating Area

(Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004)

§ 1409-21. - Building Placement Requirements, CN-M and CC-M Districts.

In the CN-M and CC-M Districts, buildings must be built to street setback lines as indicated below:

(a) *Building Placement, Interior Lots.* If a building on either side of the proposed site is built within 12 feet of the street lot line, then at least 60 percent of the building facade must be built to the front lot line to enhance the pedestrian character.



Figure 1409-21-A Example when a Building is NOT placed at the Street Lot Line

Building Placement, Corner Lots. Corner lots must have the buildings built to the corner, unless all of the opposing corner properties are already designed with parking at the corner. If one corner has a building built to the front lot line, the new building must also be built to the front lot line.

Buildings Occupying An Entire Block Face. Where a development is to occupy an entire block face, the orientation of the opposing block face must be evaluated. If a majority of the opposing block face has a pedestrian orientation with building facades located closer than 12 feet of the front lot line, the proposed development must have a similar building placement.

Outdoor Eating Areas. See <u>Section 1409-19(c)</u>.

(Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004)

§ 1409-23. - Ground Floor Transparency.

The purpose of the standard for ground floor windows and transparent doors is to engage the pedestrians' interest and attract the pedestrian to the goods and services offered within buildings. Ground floor windows and glass doors strengthen the commercial viability of a use by attracting customers and add to the enjoyment of the pedestrian on the street.

(a) Minimum Standard. Windows and transparent doors must be a minimum percentage of the street frontage, as specified in Schedule <u>1409-23</u> below. The percentage of the building's street elevation is measured between 2.5 feet and 7.0 feet in height above grade. Glass block, opaque or darkly tinted glass is not considered to be transparent. Refer to Figure 1409-23-A.

Schedule 1409-23: Transparency Standard for Ground Floor Windows and Doors

	Street Transparency Percentage ¹	
Each Street Frontage	Primary Street	Secondary Street

library.municode.com/print.aspx?h=&clientID=19996&HTMRequest=http%3a%2f%2flibrary.municode.com%2fshowDocument.aspx%3fclientID%3d19996&job... 14/17

2/11/13		Municode	
(lineal feet)			
40 or less	80	30	
<u>41</u> –80	70	40	
81 or more	60	50	

¹Within the zone of transparency as per Figure 1409-23-A

- (b) *Display Windows.* Display or show windows that do not provide clear visual access into the interior of the building count, provided they are at least two feet in depth.
- (c) Security Grills. Security grills may not be installed on the outside of windows along primary street frontage. Open meshed architectural grills installed on the inside are allowed as they provide greater visibility into the store both for safety and for maintaining transparency and streetscape interest even when a store is closed.
- (d) *Entrance.* In pedestrian districts, the primary entrance must be on an arterial or collector street.
- (e) Special Exceptions. Special exceptions may be granted pursuant to <u>Chapter 1445</u>, Variances, Special Exceptions and Conditional Uses where uses cannot meet the requirements of this section.
- (f) *Exemptions.* In the CN-P, CN-M and CC-P Districts, residential uses are exempt from the ground floor transparency requirements of <u>Section 1409-23</u>



Secondary Street

Figure 1409-23-A Ground Floor Zone of Transparency



Figure 1409-23-B Example of Ground Floor Transparency (Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004; a. Ord. No. 0026-2007, § 1, eff. Feb. 18, 2007)

§ 1409-25. - Location of Parking.

In the pedestrian and mixed districts, the intent of the building placement standards is to create a continual street facade where parking is located to the rear of the buildings. The depth of lots is, however, not always sufficient to permit this, and some uses need more parking than building area. To maintain pedestrian character in these districts, surface parking lots may be located to the side of the building adjacent to the public right-of-way. This location requires a Special Exception approval provided for in <u>Chapter 1445</u>, Variances, Special Exceptions and Conditional Uses.

(Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004; a. Ord. No. 388-2008, eff. Dec. 19, 2008)

§ 1409-27. - Outdoor Storage.

These regulations apply in all commercial districts except the CG-A.

Storage areas, accessory, incidental and subordinate to the principal use, may be located outside an enclosed building, provided that such storage:

- (a) May not exceed a height of six feet;
- (b) Is enclosed by a screen fence or wall at least six feet in height;
- (c) Does not exceed 25 percent of the gross floor area of the principal building located on the lot, excluding space used for the parking or storage of vehicles; and
- (d) Is not located between the building and the street property line.

(Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004; a. Ord. No. 242-2005, eff. July 21, 2005; a. Ord. No. 0346-2007, § 6, eff. Oct. 13, 2007)

§ 1409-29. - Outdoor Retail Sales.

Outdoor retail sales areas must be located, developed and operated in compliance with the following standards:

- (a) Location of Sales Area. Outdoor sales areas must be contiguous and located entirely on private property, outside of any required setback. In a zoning district without required setbacks, a minimum setback of ten feet from any street lot line is required. Outdoor sales areas must adjoin the principal structure on a site, unless the applicant can show by specific facts that unique circumstances exist such that compliance with this requirement would cause an unnecessary hardship.
- (b) *Maximum Size.* Outdoor sales areas may not exceed 15 percent of the gross floor area of the use they serve.
- (c) *Location of Merchandise.* Display merchandise may not encroach on required parking, driveways, pedestrian walkways or required landscaped areas. Displays may not obstruct sight distance or otherwise create hazards for vehicle or pedestrian traffic.
- (d) Height of Merchandise. Display merchandise, excluding automobiles, trucks and construction equipment, may not exceed a height of ten feet above finished grade for a single display item. Stacked displays may not exceed a height of six feet above finished grade.
- (e) *Litter.* A permanent trash receptacle must be installed at each entrance and exit to the outdoor sales area.
- (f) *Pay Telephones and Vending Machines.* Pay telephones and vending machines are prohibited where viewable from a public right-of-way.
- (g) Screening. All outdoor sales areas must be screened from adjacent public streets by decorative solid walls, fences or landscaped berms of a minimum three feet in height and located within a landscaped area adjacent to the street property line of at least ten feet in width.
- (h) Signs. Signs, other than as permitted under <u>Chapter 1427</u>, Sign Regulations, are prohibited if visible from a public street.
- Exceptions. The provisions of this section do not apply to the sale or distribution of food, flowers, seasonal sales of pumpkins and Christmas trees, newspapers and periodicals from a pedestrian-oriented retail storefront.

(Ordained by Ord. No. 15-2004, eff. Feb. 13, 2004; a. Ord. No. 244-2005, eff. July 21, 2005; a. Ord. No. 0346-2007, § 6, eff. Oct. 13, 2007; a. Ord. No. 390-2008, eff. Dec. 19, 2008)